04/23/2013 18:59 FAX

3.31.05

33531 - all codes

MATERIAL SAFETY DATA SHEET Plaster of Paris

Quick Identifier: Common Name (used on label and list)	Product Code:	Packaging:	Quick Identifier: Common Name (used on label and list)	Product Code:	Packaging:
Plaster of Paris	2000	1 lb box	Plaster of Paris	2002	8 lb box
Plaster of Paris	2001	4.5 lb box	-		

Section 1 - Product	Name & Synonyms:	Plaster of Paris		
Manufacturer's Name	Specialized Building Products, LLC	Emergency Telephone: (24 hour service)	Chemtrec @ 800-422-9300	
Street	145 W. Meats Ave.		714-279-1042	
City, State, and ZIP	Orange, CA 92865		714-279-1043	
Date Prepared:	May 10, 2002	Web-Site		

Section 2 - Hazardous Ing	redients / Ide	entity		
Chemical & Common name:	OSHA PEL	ACGIH TLV	% - Optional	CAS Number
Calcium Carbonate (limestone)	15 mg/m ³ ** 5 mg/m ³ *	10 mg/m³ (a).		1317-65-3
Calcium Sulfate (Plaster of Paris)	15 mg/m ^{3**} 5 mg/m ³ *	10 mg/m³ (a)		7778-18-9
Silica, Quartz 1		0.1 mg/m ³ _(j) NIC = 0.05 mg/m ³ _(i)	01 - 1.5 %	14808-60-7

- * Respirable fraction (PEL)
- ** Total dust (PEL) or Inhalable Particulate (TEV)
- *** STEL/CEIL STEL stands for Short-Term Exposure Limit. Usually a 15 minute time-weighted average (TWA) exposure that should not be exceeded at any time during a workday, even if the 8-hour TWA has not been exceeded. CEIL stands for Ceiling (C) - the concentration that shall not be exceeded during any part of the working exposure.

SEN - TLV-Confirmed potential for worker sensitization as a result of dermal contact and/or inhalation exposure, based on the weight of scientific evidence

NIC - TLV Notice of Intended Changes

- 1 Present as a natural occurring contaminant, ACGIH Threshold limit values lists Silica-Crystalline Quartz as "A2- Suspected Human Carcinogen"
- 2 <1% crystalline silica.
- (6) The value is for particulate matter containing no asbestos and <1% crystalline silica.
- (i) Respirable fraction, fraction passing a size selector with the characteristics defined in the "C" Paragraph of Appendix D in the current TLV booklet.

MSDS - Plaster of Paris, page -

04/23/2013 19:00 FAX

Ø1003

OTHER INGREDIENTS/I	DENTITY	-	· ,==, ,
Hazardous Component(s)	OSHA	% - Optional	CAS Number
Chemical & Common name:	PEL	-	
None			

SECTION 3 - PHYSICAL	& CHEMI	CAL CHARACTERISTIC	S
Boiling Point	N/A	Solubility in Water	Less than 3%
Specific Gravity (H ₂ O = 1)	N/A	Reactivity in Water	N/A
Vapor Pressure (mm Hg)	N/A	pH	7 – 9
Vapor Density (Air = 1)	N/A	Melting Point	N/A
Appearance and Odor	White por	wder with no odor	

SECTION 4 - FIRE & EXPLO	SION DA	TA	
Flash Point	N/A	Non-Combustible (?)	Yes
Auto-Ignition Temperature	N/A	Flammability Limits in Air (% volume)	N/A
Special Fire Fighting Procedures	None	LEL Lower	N/A
Unusual Fire and Explosion Hazards.	None	UEL Upper	N/A

SECTION 5 - PHYSICAL HAZA	RUS (REACTIVITY DATA)
Stability	Unstable [] Stable [X]
Conditions to Avoid	None
Incompatibility (Materials to Avoid)	Acids
Hazardous Decomposition Products	 Releases CO₂ when heated to decomposition Releases SO_x when heated to decomposition
Hazardous Polymerization	Will Not Occur [X] May Occur []

SECTI	ON 6 - HEALTI	HAZ.	ARDS					· · · · · · · · · · · · · · · · · · ·	
Acute				Chronic	Long term exposure to high dust levels may impair lung function				
Signs an	d symptoms of Expo	sure				N/A			
Medical	Condition Generally	Aggrave	ited by I	Exposure		Respirato	ry probk	-ms	······································
Carcinos Carcinos Y - Yes		Crystalline AC Silica TL		ACGIH TLV P - [A2]		NIOSH Yes [X]	NIP Yes [R]	IRAC Monograph Yes - [1]	OSHA Yes [X]
P-Potent			j						
Emergen	cy and First Aid Pro-	cedures	Person the are	s expose	d to I	arge amou	nts of air	borne dust sho	uld leave
Routes of Entry		Inhalation Re		Ren	e muisance particulate material				
		Eyes		Wash with water for 15 minutes - call physician				l physician	
		Skin		Wash with soap and water					
			Ingestion (Call	physician			

MSDS - Plaster of Paris, page - 2

04/23/2013 19:00 FAX

Ø 004

SECTION 7 - SPECICIAL PRECAUTIONS A	ND SPILL / LEAK PROCEDURES
recautions to be taken in Handling and Storage	None
Other Precautions	None
Steps to be Taken in Case Material is Released or Spilled	Contain and Scoop materials into waste container for disposal
Waste Disposal Methods	Dispose of in accordance with all federal,
	state, and local regulations

Respiratory Protection (specify type)	NIOSH / OSHA approved respirator for dust when dry sanding. There is limited evidence that crystalline silica (quartz) causes cancer in humans.				
Ventilation	Local exhaust preferred; Mechanical Exhaust satisfactory	Special N/A	Other		
Protective Gloves	Yes	1 24/74	N/A		
Eye Protection	Safety glasses or goggles				
Other Protective Clothing or Equipment	None				
Work / Hygienic Practices	Avoid dry sanding. Wet sanding or sponging is pre				

The information and data herein are believed to be accurate and have been compiled from sources believed to be reliable. It is offered for your consideration, investigation and verification. Buyer assumes all risk of use, storage and handling of the product in compliance with applicable federal, state and local laws and regulations. Specialized Building Products, LLC., MAKES NO WARRANTY OF ANY KIND, EXPRESSED OR IMPLIED, CONCERNING THE ACCURACY OR COMPLETENESS OF THE INFORMATION AND DATA HERIN. Specialized Building Products, LLC., will not be liable for claims relating to any party's use of or reliance on information and data contained herein regardless of whether it is claimed that the information and data are inaccurate, incomplete or otherwise misleading:

MSDS - Plaster of Paris, page -

04/23/2013 18:59 FAX

Ø 001





Date: Thursday, March 31, 2005

To: Dick Blick Co.
Theresa Roberts

Phone: 309-343-6181 Fax: 309-343-3999

From: Specialized Building Products, LLC

Dan Schiefelbein Phone: 714-279-1042

Fax: 714-279-1043

Pages: 3

Sorry this took a bit, Dan.

Subject: MSDS.

SPECIALIZED BUILDING PRODUCTS. 145 W. Meots Avenue Drange, CA 92865 Phone 714.279.1042 Fax 714.279.1043